COLOUR MULTI-FUNCTION PRINTERS FOR DEMANDING BUSINESSES

i-SENSYS MF740 Series
Optimised for small and medium
businesses, this multi-function
printer range takes productivity to
the next level















Productivity

Businesses have so many things to focus on that hanging around waiting for their printers to perform shouldn't be one of them. Canon's i-SENSYS MF740 Series more than meets the requirements of even the most demanding businesses by taking productivity to the highest levels. They can deliver up to 27 printed A4 pages per minute and 47 scans per minute, thanks to simultaneous scanning of both sides in a single pass (MF746Cx and MF744Cdw). All models also have automatic double-sided printing to reduce the amount of paper used.

Customisation

The Application Library further increases efficiency by automating and speeding up everyday tasks. Printing stored forms, scanning to email and copying documents can be undertaken with a single tap. Five new application functions have been added to this series to further boost productivity.

Control

The Universal Login Manager on the MF746Cx enables business owners to track exactly who is printing what and when, potentially saving money by reducing unnecessary output. You can also control access and protect sensitive documents with secure PIN print.

Mobile connectivity

Business owners and staff are always on the move. That's why the Canon i-SENSYS MF740 Series is packed with a versatile range of mobile connection options. The Canon PRINT Business app enables users to print wirelessly from smartphones and tablets (iOS and Android). Compatibility with Apple AirPrint and Mopria for Android means fast access without the user having to download any additional apps.



RANGE FEATURE STEP UP CHART







MF742Cdw

MF744Cdw

MF746Cx

Fax		•	•
A4 print speed	27ppm	27ppm	27ppm
Display	12.7cm colour touch screen	12.7cm colour touch screen	12.7cm colour touch screen
Secure PIN print	•	•	•
Automatic duplex printing	•	•	•
Universal Login Manager/uniFLOW compatibility			•
Application Library	•	•	•
Single pass duplex scan		•	•

OPTIONAL ACCESSORIES

Cassette Feeding Module-AF1

 Additional 550 sheet paper cassette, lunit can be added to main unit.

Barcode Print Kit- E1E (Available on MF746Cx)

 Installs bar code fonts for bar code printing. This kit, which is delivered electronically, includes a license access certificate for activation.

Send PDF Security Feature Set-E1 (Available on MF746Cx)

 Send encrypted PDF and add digital device signature to PDF files. This kit, which is delivered electronically, includes a license access certificate for activation.

Telephone 6 Kit (Available on MF744Cdw and MF746Cx)

Optional telephone handset for fax function.



TECHNICAL SPECIFICATIONS

i-SENSYS MF740 Series

Machine type

Available functions

PRINTER

Colour Laser All-In-One

MF742Cdw: Print, Copy and Scan MF744Cdw/MF746Cx: Print, Copy, Scan and Fax

Approx. 13 seconds or less from power on

Colour approx.: 8.6 seconds or less

Print speed

Up to 27 ppm (A4), Up to 49 ppm(A5-Landscape) Double sided : Up to 24.5 ipm (A4) Colour laser beam printing

Print quality with Image Refinement

Warm-up time First Print Out Time

Fonts

Colour approx.: 8.6 seconds or less
Mono approx.: 7,5 seconds or less
MF742Cdw: UFRII, PCL Sc', PCL6
MF744Cdw: MF746Ccw. UFRII, PCL Sc', PCL6, Adobe* PostScript
MF744Cdw: 45 PCL fonts
MF744Cdw: 45 PCL fonts
MF744Cdw: 45 PCL fonts
136 PostScript fonts
5 mm-top, bottom, left and right
10 mm-top, bottom, left and right (Envelope)
Yes

Toner saver mode MF742Cdw Advanced printing features

MF /42LOW:
Secure Print, Print from USB memory key (JPEG/TIFF/PDF)
Google Cloud Print Ready, IOS. AirPrint, Canon PRINT Business app
Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app
MF744Cdw/MF746Cx

rer zaucuwyner zaoc.
Secure Print, Front from USB memory key (JPEG/TIFF/PDF)
Barcode Print, Touch & Print (NFC), Google Cloud Print Ready
iOS: AirPrint, Canon PRINT Business app
Android, Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

COPIER Copy speed

MF742Cdw: Single sided (A4): Up to 27 ppm MF744Cdw/MF746Cx: Single sided (A4): Up to 27 ppm, Double sided (A4): Up to 21.9 ipm ADF (A4): First Copy Output Time (FCOT) Colour Approx. 12.0 seconds or less, Mono Approx. 10.2 seconds or less

Platen (Ad):
Colour Approx. 10.3 seconds or less, Mono Approx. 9.8 seconds or less
Up to 660 x 600 dpi
Text/Photo/Map (Default),Text/Photo/Map (quality),
Printed Image, Text

Copy resolution Copy modes

Double sided copying l-sided to 2-sided (Automatic)

MF744Cdw/MF746Cx: 2-sided to 2-sided (Automatic) Up to 999 copies Reduction / Enlargement

25-400% in 1% increments Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy Other features

SCANNER

Optical: Up to 600 x 600 dpi

Scan speed

MF/44Cdw: Single sided mono: 27ipm (300x600dpi), Single sided colour: 14ipm (300x600dpi) MF744Cdw/MF746Cx:

Mr-744Cdw/MF746Cx:
Single sided mono: 27ipm (300x600dpi), Single sided colour: 14ipm (300x600dpi)
Double sided mono: 47ipm (300x600dpi), Double sided colour: 27ipm (300x600dpi)
24 bit/24 bit (input/output) Colour scanning depth

TWAIN , WIA, ICA 216mm Max. scan width Scan to E-mail

216mm
MF742Cdw/MF744Cdw.
TIFF/JPEG/PDF/Compact PDF/Searchable PDF
MF746Cx
TIFF/JPEG/PDF/Compact PDF/Searchable PDF/Encrypted PDF*/PDF (Digital signature)*
MF744Ccw
MF742Cdw/MF744Cdw. Scan to PC TIFF/JPEG/PDF/Compact PDF/Searchable PDF

TIFF/JPEG/PDF/Compact PDF/Searchable PDF/Encrypted PDF²/PDF (Digital signature)² MF742Cdw/MF744Cdw: Scan to USB memory key

TIFF/JPEG/PDF/Compact PDF/Searchable PDF

TIFF/JPEG/PDF/Compact PDF/Searchable PDF/Encrypted PDF*/PDF (Digital signature)¹ MF742Cdw/MF744Cdw:
TIFF/JPEG/PDF/Compact PDF/Searchable PDF

TIFF/JPEG/PDF/Compact PDF/Searchable PDF/Encrypted PDF³/PDF (Digital signature)³ TIFF/JPEG/PDF/PNG⁴ Scan to Cloud

iFAX MF744Cdw/MF746Cx: MF744CDW/MF746CX ONLY:

Modem speed Receive mode Fax resolution war Moda Manual

MF744CDW/MF746CX ONLY: 33.6 Klbps (Up to 3 seconds/page*) Fax only. Fax/Tel Auto Switch, Answ Standard: 200 x 100 dpi Fine: 200 x 200 dpi Super fine: 200 x 400 dpi Ultra fine: 400 x 400 dpi Up to 512 pages* FAX memory Up to 281 dials

Speed dials Group dials/destinations Sequential broadcast Max. 299 dials / Max. 299 destinations

Memory backup Double sided faxing

Other features

Max. 290 dials / Max. 290 destinations
Max. 310 destinations
Permanent fax memory backup (Backup with flash memory)
Yes (Transmit and Receive)
Yes (Transmit and Receive)
Activity Reports, Dual Access, Remote Reception, PC Fax (TX only) DRPD, ECM, Auto Redial, Fax
Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports MEDIA HANDLING

MF744Cdw/MF746Cx:Platen, 2-sided ADF (single pass) 250-sheet cassette 50-sheet multi-purpose tray 50-sheet ADF 550-sheet Cassette Paper input (Standard)

Paper input (Ontion)

Media sizes

A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 216.0 x 355.6 mm.

Multi-purpose tray:

AA, AS, AS (Landscape), BS, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COMIO, DL, CS, Monarch), Custom sizes: Min 76.2 x 127 mm Max 216.0 x 355.6 mm.

Cassette (Optional):

A4, A5, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL,
Foolscap, 16K, Post card, Envelop (COMIO, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 216.0 x

Fooliscap, 16K, Post card, Envelop (COMIU, DL, GO), __ 355.6 mm. ADF: A4, A5, B5, Legal, Letter, Statement, Custom sizes: Min. 128 x 139.7 mm Max 215.9 x 355.6 mm

Media weights sette (standard and optional): 60 to 163 g/m² (Up to 200 g/m² with Glossy paper) Multi-purpose tray: 60 to 176 g/m² (Up to 200 g/m² with Glossy paper)

ADF: 50 to 105 g/m² Automatic Cassette: Double sided printing

Automatic Cassette:

A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K
Custom size - Min. 176 x 250 mm Max. 215.9 x 355.6 mm
60 to 200 g/m²

USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection Windows* 10 / Windows* 8.1 / Windows* 7 / Server* 2016 / Server* 2012R2 / Server* 2012 / Server

Mac OS X version 10.9.5 & up / Mac OS 10.14 & up Linux⁶

I PD RAW WSD-Print (IPv4 IPv6)

Email SMR WSD-Scan(IDv4 IDv6) ETD-Scan iEAY

TCP/IP Application Service ir(mDNS), HTTP, HTTPS, POP before SMTP (IPv4,IPv6)

DHCP, ARP+PING, Auto IP, WINS (IPv4)

DHCPv6 (IPv6)

SNMPv1, SNMPv3 (IPv4,IPv6)

Security (wired): IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)

Security (wireless):

Infrastructure Mode: WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES)

WPA2-PSK(AES) MF742Cdw/MF7444Cdw MF Scan Utility, Remote User Interface (RUI), Department ID Management,

Toner Status Tool.

Toner Status Tool,

W Management Console: Server-based software for centralised management of a fleet of devices
eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture,
automatic consumables management and remote diagnostics.

Application Library MF746Cx: MF Scan Utility,

MF Scan Utility.

Remote User Interface (RUI),
Department ID Management,
Toner Status Tool,
I Server-based software for centralised management of a fleet of devices
with Management Console. Server-based software for centralised management of a fleet of devices
el-Maintenance sembedded RDS allows remote eMaintenance services such as meter capture,
automatic consumables management and remote diagnostics.
Universal Lop-in Manager / uniFLOW online / uniFLOW online Express / uniFLOW Compatibility
Application Library

Recommended Monthly Print Volume 750 - 4,000 pages per month Duty cycle Max. 50,000 pages per month Processor Speed 800MHz x 2

12.7 cm LCD Colour Touch Screen 471 mm x 469 mm x 460 mm Dimensions with trays (W x D x H) Installation space

(W x D x H)

INTERFACE & SOFTWARE

Operating System compatibility

Software and printer manager

Interface type

Network Protocol

Operating environment

Humidity: 20 to 80% RH (no conde 220-240V(±10%) 50/60Hz (±2Hz) Maximum: Approx. 1,390 W Active printing: Approx. 530W Power Consumption

Standby: Approx. 18.0 W Sleep mode: Approx. 0.7 W Jieeμ moge: Approx. 0.7 W
Typical Electricity Consumption (TEC):
I-SENSYS MFA'O SERIES = 1.0 kWh/kweek*
For detailed information relating to Lot26 regulation, please go to: http://www.canon-eucom/For_Work/Lot26/index.aspx
Sound Pressure:

Approx. 26.7 Kg

Noise Levels MF742Cdw

Temperature: 10 to 30°C (50 to 86°E)

Active: Simplex 48 dB / Duplex 50 dB, Standby: 28 dB MF744Cdw: Active: Simplex 48 dB / Duplex 50 dB, Standby: 26 dB Active: Simplex 48 dB / Duplex 49 dB, Standby: 26 dB Sound Power⁸:

Sound owner:
MF742Cdw/MF74Cdw/FACH
Active: Simplex 63dB or less / Duplex 64 dB or less, Standby: 42dB or less
MF744Cdw.
Active: Simplex 63dB or less / Duplex 64 dB or less, Standby: 42dB or less
MF746Ch:
Active: Simplex 63dB or less / Duplex 63 dB or less, Standby: 42dB or less
Active: Simplex 62 dB or less / Duplex 63 dB or less, Standby: 42dB or less

Cartridges

Cartridge 055 Black (2.300 pages 3)¹⁰
Cartridge 055 Black (2.300 pages 9)¹⁰
Cartridge 055 Cyan (2.100 pages 9)¹⁰
Cartridge 055 Cyan (2.100 pages 9)¹⁰
Cartridge 055 Magenta (2.100 pages 9)¹⁰
Cartridge 055 Magenta (2.100 pages 9)¹⁰
Cartridge 055 H Magenta (5.900 pages 9)¹⁰
Cartridge 055 H Yellow (5.100 pages 9)¹⁰
Cartridge 055 H Yellow (5.900 pages 9)¹⁰

ACCESSORIES/OPTIONS

MF742Cdw/ CST.Feeding Module-AF1 (550-sheet cassette) MF744Cdw: CST.Feeding Module-AF1 (550-sheet cassette)
TEL 6 Kit Long Cord (Telephone handset)

MF746Cx: CST.Feeding Module-AF1 (S50-sheet cassette)
TEL 6 Kit Long Cord (Telephone handset)
Barcode Printing Kit-EIE
MiCard Attachmet Kit-BI
Send PDF Security Feature Set-E1

ds supported only. Third party driver or direct printing from application required. y - Barcode Printing Kit-E1E - is required

Accessory - Barcode Printing Kit-EIE - is required
Accessory - Send PDF Security Feature Set-EII is required
Scan by MF Scan Utility or Canon PRINT Business app
Based on ITU-T Standard Chart No. 1
Web distribution only, Linux support printing only,
Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended
duty cycle may decrease the life of the product
Declared noise emission in accordance with ISO 9296
Based on ISO/IEC 19798
Printer ships with Black; 2,300 pages, C/M/Y: 1,200 pages starter cartridges
As per US ENERGY STAR* version 2.0.



ALL-IN-ONE COLOUR MULTI-FUNCTION PRINTERS FOR DEMANDING BUSINESSES

Optimised for small and medium businesses, Canon's i-SENSYS MF740 Series colour multi-function printer range takes productivity to the next level



PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF742Cdw	3101C013AA	4549292121780
i-SENSYS MF744Cdw	3101C010AA	4549292121759
i-SENSYS MF746Cx	3101C001AA	4549292121667

ACCESSORIES:

PRODUCT NAME	Mercury Code	EAN Code
Cassette Feeding Module-AF1	0732A032AA	4549292077278
MiCard Attachment kit-B1	5146B002AA	4549292027235
Barcode Printing Kit-E1E	5143B002AA	N/A (e-delivery)
Send PDF Security Feature Set-E1	9594B002AA	N/A (e-delivery)
Telephone 6 Kit EU (CW)	0752A054AA	4960999453910
Telephone 6 Kit UK (CW)	0752A053AA	4960999453897
Telephone 6 Kit SA (CW)	0752A055AA	4960999453927

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 055 Black	3016C002AA	4549292124699
Cartridge 055H Black	3020C002AA	4549292124842
Cartridge 055 Yellow	3013C002AA	4549292124606
Cartridge 055H Yellow	3017C002AA	4549292124729
Cartridge 055 Magenta	3014C002AA	4549292124637
Cartridge 055H Magenta	3018C002AA	4549292124767
Cartridge 055 Cyan	3015C002AA	4549292124668
Cartridge 055H Cyan	3019C002AA	4549292124804

Canon Inc. canon.com

Canon Europe canon-europe.com

English edition © Canon Europa N.V.,2019

