

iQ700
HR676GBS6B
Oven with Added Steam
Brand Value Class: IQ700



"The oven offers modern baking and roasting convenience for best results."

- ✓ fast preheat: reach the required baking temperature sooner;
- ✓ coolStart: no need to preheat the oven for deep frozen food.
- ✓ 4D hotAir: flexible choice of shelf.
- ✓ TFT Touchdisplay: user-friendly menu navigation with good display features.
- ✓ Energy efficiency class A+: For more efficient roasting and baking.
- ✓ cookControl Plus: guaranteed success for numerous dishes.
- ✓ activeClean: the automatic system for effortless cleaning.
- ✓ The addedSteam function: for crispy crusts and juicy roasts.
- ✓ Home Connect: access to your oven via smartphone or tablet.

Features

Technical Data

Color / Material Front : Stainless steel

Built-in / Free-standing : Built-in

Integrated Cleaning system : Pyrolytic

Required niche size for installation (HxWxD) : 585-595 x 560-568 x 550

Dimensions of the product (mm) : 595 x 594 x 548

Dimensions of the packed product (HxWxD) (mm) : 675 x 690 x 660

Control Panel Material : Stainless steel

Door Material : Glass

Net weight (kg) : 41.436

Usable volume (of cavity) - cavity 1 (l) : 71

Cooking method : , 4D hot air, Bottom heat, Conventional heat, Deep-frozen food special, Full width grill, Half width grill, Hot Air-Eco, Hot air grilling, low temperature cooking, Pizza setting, pre-heating, warming

First cavity material : Enamelled

Temperature control : electronic

Number of interior lights : 1

Approval certificates : CE, VDE

Length electrical supply cord (cm) : 120

EAN code : 4242003794876

Number of cavities (2010/30/EC) : 1

Energy efficiency class (2010/30/EC) : A+

Energy consumption per cycle conventional (2010/30/EC) : 0.87

Energy consumption per cycle forced air convection (2010/30/EC) :

0.69

Energy efficiency index (2010/30/EC) : 81.2

Electrical connection rating (W) : 3600

Current (A) : 16

Voltage (V) : 220-240

Frequency (Hz) : 50; 60

Plug type : no plug

Included accessories

2 x combination grid

1 x universal pan

Optional accessories

HZ638370 3 level telescopic rails, full ext, pyro

HZ638170 1 level telescopic rail, full ext, pyro

HZ634000 Baking and roasting grid (standard)

HZ631070 Baking tray, anthracite enamelled



4 242003 794876

iQ700
HR676GBS6B
Oven with Added Steam
Brand Value Class: IQ700

Features

Design

- 3.7" TFT touchDisplay
- Full colour display
- Stainless steel control dial
- Cavity inner surface: Enamel anthracite
- softMove: gentle opening and closing of the oven door.
- Drop down oven door, softClose, softOpen
- Bar handle

Features

- Automatic temperature proposal
- Actual temperature display
- Heating-up indicator
- Sabbath setting
- Electronic door lock
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch
- WLAN - Home connect enabled
- cookControl Plus
- Electronic oven clock timer
- Main on/off switch
- Light on/off when door opened/closed
- 1 interior light, LED light
- Smooth enamelled oven interior, Removable wire shelf support rails
- 5 shelf positions
- Tank empty indicator
- Integral cooling fan

Cleaning

- activeClean
- Full glass inner door

Programmes/functions

- 13 heating methods: 4D hot air, hotairGentle, conventional, Conventional heat Gentle, hot air grilling, full width grill, half width grill, Pizza Setting, coolStart, bottom heat, low temperature cooking, keep warm, plate warming
- Additional heating methods with steam: reheating, Dough proving
- Additional functions:
- Descaling programme
- Drying function
- Fast pre-heat

Standard accessories

- 2 x combination grid, 1 x universal pan
- Cavity with shelf support rails

Technical information


- Energy efficiency rating (acc. EU Nr. 65/2014): A+
- Energy consumption per cycle in conventional mode: 81.2
- Energy consumption per cycle in fan-forced convection mode: 0.69 kwh
- Number of cavities: 1
- Cavity volume: 71 litres
- 1 l Water tank capacity:

- Temperature range 30 °C - 275 °C
- Location of the steam generator is outside of the cavity
- Total connected load electric: 3.6 KW
- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Min. fuse protection: 16 A
- Appliance dimension (hxwxh): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxh): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

iQ700
HR676GBS6B
Oven with Added Steam
Brand Value Class: IQ700

Dimensioned drawings

Installation with a hob.



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

