

COOKING PASSION SINCE 1877

N 90 S517T80D1G ENERGY EFFICIENT DISHWASHER. 60CM FULLY INTEGRATED DOOROPEN ASSIST - SIMPLE TO USE. DESIGNED FOR HANDLELESS KITCHENS

























The dishwasher with cutlery drawer that's extremely flexible to load and displays the time remaining.

- $\sqrt{\ }$ Flex 3 baskets and cutlery drawer with highly adaptable, foldable elements for extremely easy loading
- $\sqrt{}$ TimeLight the time remaining in the programme is projected onto the floor
- $\sqrt{\,}$ Zeolith drying for outstanding drying results with the natural mineral zeolith
- $\sqrt{\text{Chef }70^{\circ}}$ the pro programme for getting stubborn dirt off pots and casserole dishes
- $\sqrt{\ }$ Very quiet dishwashing at just 42 dB

Features

Technical Data

Water consumption (I): 9.5 Construction type: Built-in

Height of removable worktop (mm): 815

Required niche size for installation (HxWxD) : $815-875 \times 600 \times 550$

Depth with open door 90 degree (mm): 1150

Adjustable feet: Yes - front only Maximum adjustability feet (mm): 60 Adjustable plinth: both horizontal and vertical

Net weight (kg): 47.0 Gross weight (kg): 49.0 Connection rating (W): 2400

Current (A): 13 Voltage (V): 220-240 Frequency (Hz): 50; 60

Length of electrical supply cord (cm): 175

Plug type : GB plug

Length inlet hose (cm): 140 Length outlet hose (cm): 190 EAN code: 4242004222330 Number of place settings: 14

Energy efficiency class (2010/30/EC): A+++

Energy consumption annual (kWh/annum) - NEW (2010/30/EC) :

Energy consumption (kWh): 0.83

Power consumption in left-on mode (W) - NEW (2010/30/EC) : 0.50 Power consumption in off-mode (W) - NEW (2010/30/EC) : 0.50Water consumption annual (I/annum) - NEW (2010/30/EC) : 2660

Drying performance: A Reference programme: Eco

Total cycle time of reference programme (min): 195

Noise level (dB(A) re 1 pW): 42 Installation type: Full-integrated



N 90 S517T80D1G ENERGY EFFICIENT DISHWASHER, 60CM FULLY INTEGRATED DOOROPEN ASSIST -SIMPLE TO USE, DESIGNED FOR HANDLELESS KITCHENS

Features

Performance

- Energy Efficiency Class: A+++
- Capacity: 14 place settings
- Energy consumption in Eco 50 programme: 237 kwh per year, based on 280 standard cleaning cycles
- Energy consumption in Eco 50 programme: 0.83 kwh
- Water consumption in Eco 50 programme: 9.5 litres
- Water consumption in Eco 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Eco 50 programme: 195 minutes
- Noise level dB (A) re 1pW: 42 dB

Programmes/functions

- 8 programmes: Chef 70 °C, Auto 45-65 °C, Eco 50 °C, Silence 50 °C, Short 60 °C, Glass 40 °C, Quick 45 °C, Pre rinse
- 6 temperatures
- 5 special options: Intensive Zone, VarioSpeedPlus, Half load, HygienePlus, Shine & Dry
- Machine Care

Flexible design elements

- Flex 3 basket system
- Flex 3 drawer
- 3 stage Rackmatic height-adjustable top basket
- Silver coloured baskets
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket, 2 foldable cup racks in bottom basket
- 2 foldable cup shelves in top basket 2 foldable cup racks in bottom basket
- Glass rack in bottom basket

Innovations and technology

- Neff EfficientSilentDrive
- Zeolith Energy efficient and hygienic drying
- doorOpen Assist Simple to use, designed for handleless kitchens
- NeffSparkle glass care system
- Heat exchanger Hygienic and efficient drying
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee

Design features

- TouchControl (metallic)
- White interior EmotionLight
- White TimeLight projection on floor
- TouchControl (metallic)
- Real Time Clock
- Colour of indicators: White LED
- Large item spray head, including Steam protection plate
- Stainless steel interior
- Push button top controls
- Display (black) with white marking
- LED salt refill indicator, LED rinse-aid refill indicator
- Alternating spray arms
- Regenerative electronics
- Self-cleaning filter system with 3 piece corrugated filter
- Childlock when activated double push to open
- doorOpen Assist Simple to use, designed for handleless kitchens
- Time delay (1-24 hours) with Acoustic end of cycle indicator, water fault indicator
- Acoustic end of cycle indicator
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- Efficiency information relates to the Eco 50 programme. This programme is suitable for cleaning normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption

N 90 S517T80D1G ENERGY EFFICIENT DISHWASHER, 60CM FULLY INTEGRATED DOOROPEN ASSIST -SIMPLE TO USE, DESIGNED FOR HANDLELESS KITCHENS

Dimensioned drawings

