

USER MANUAL




Thank you for choosing Better Bathrooms.
Please read this manual before installing your product
and keep for future reference.

**better
bathrooms**

Ceramic Kitchen Sink-ADADB830 LILDB838 ESMBT500

- Waste Included
- Over flow ring & Plastic tube Included
- Trap is not supplied



Please note: Image is for illustrative purposes only and may differ slightly to the actual product

- **Two-person assembly**
- **Tools required**
- **We always recommend using professional tradespeople to install your product**

V1_28.09.25

Congratulations on your purchase

And welcome to our growing gang of savvy shoppers

We're on a mission to bring you extraordinary bathroom products, for less. From modern to traditional style ceramics, plus the gorgeous fixtures, fittings and furniture to match. So, you can fall in love with your space every single day.

As one of the UK's largest independent bathroom stores, we've received countless awards; including the National Business Awards UK, the Digital Entrepreneur Awards and being placed on The Sunday Times Fast Track 100.

We hope your new product goes above and beyond your expectations. However, should any problems occur, please:

- log in to your account and contact our customer services team via your self-serve portal – betterbathrooms.com/CustomerAccount/Login
- contact us via betterbathrooms.com/content/contact-us

Important information

- Please read these instructions thoroughly and retain for future reference.
- Manufactured to BS EN13310
- All installation work must be carried out to comply with the Water Bylaw Regulations.
- The installation should be designed to allow access for maintenance.




Contents

• Parts	3
• Fitting list	3
• Tools required	4
• Installation	
○ Overflow Installation	4
○ Waste Installation	5
○ Ceramic Kitchen Sink Installation	6-7
• Care & Maintenance	8

Parts

- Ceramic Kitchen Sink
- Waste
- Overflow Ring & Plastic Tube

Fitting list:



Tools required

- Safely Goggles
- Phillips Screwdriver
- Basin Wrench
- Sprit Level
- Silicone Adhesive
- Tape Measure
- Screwdriver
- Drill Bit
- Jig Saw
- Putty Knife
- Pencil
- Hacksaw
- Scissors
- Framing Square
- Drill
- Spanner

Installation


Please note: Before starting any installation, turn off the water supply

Please note: Pre-Installation: recommends that a professional installer be used. The sink may have slight variations in dimensions due to the firing process and the fact that each sink is handmade. Be sure to provide enough counter space for the faucet, water supply lines, drain assembly, garbage disposal. We strongly recommend NOT TO OVER TIGHTEN when attaching to the sink. All installation procedures must comply in strict accordance with applicable local plumbing and building code.


The step-by-step guidelines in the installation instructions are a general reference for installing a sink. Should there be any discrepancies, we cannot be held liable. it is recommended to install all products by hiring a licensed professional.

Overflow Installation:

Unscrew the overflow screw (1), then remove the overflow cover (2) and rubber washer (3). Place the overflow elbow (4) and rubber washer (3) at the rear of the overflow hole sink (as shown in the diagram below). Place the cover (2) over the overflow hole in front of the sink, tighten the screw (1) to secure cover to the elbow.




Connect the plastic tube (5) to the overflow elbow outlet (4), making sure the plastic tube does not slip off. Then connect the other side the of plastic tube (5) to the waste body (8), install the sealing ring (7) then tighten the plastic nut (6) to secure in place.



Waste Installation:

Remove the basket strainer (13) and waste screw (12), then place the flange (11) and foam washer (10) above the sink hole. Attach the rubber washer (9) and waste body (8) to the underside of the sink (ensure the washer is not placed askew), then tighten the waste screw (12). Place the basket strainer (13) into the waste screw (12) (as shown in the diagram below).




After installation, turn on the water supply. Check all joints and connections for any leaks.

Ceramic Kitchen Sink Installation


Prepare The Cabinet

- Farmhouse sink may require custom cabinetry. We recommend consulting an experienced cabinet maker for assistance. Providing the cabinet maker with the actual sink that is to be installed will ensure a custom fit.
- Allow clearance for the water supply lines, drains and a garbage disposal if applicable. Build a support frame or install support bars from front to back along the inner sides of the cabinet. The frame must support the weight of the sink and all attachments.
- The support frame should be positioned so that when installed, the sink is in line and level with the top of the cabinet.



Template and Cutout

- No template is provided since each sink will vary dimensionally. After centering the sink, trace the outline of the sink on the counter-top with a pencil to use as a guide for the cutout. Remember to allow clearance for any faucets and/or backsplashes. Cut the counter-top accordingly.






Final Placement

- Test fit the sink in the opening that was created in the previous steps. The entire weight of the sink should be supported by the support frame. Verify that the sink is in line and level with the top of the cabinet. Use shims, if needed, to level the sink.
- Set the sink and apply your sealant to fill in any gaps below the sink front, and between the sink and counter-top. Hold the sink in place to secure. Place the counter-top onto the sink and remove any excess sealant from all surfaces.



Installation Options

- We recommend undermount sink installation. Flushmount and buildup installation are not recommended.
- Ensure there is adequate room for the faucet and backsplash installations.



Instructions

- Unpack and inspect the sink for any shipping damages and ensure that none of the required pieces are missing. If you find any damages, do not install.
- Due to the manufacturing process, each sink will vary slightly dimensionally. Farmhouse sink may require custom cabinetry. We recommend consulting an experienced cabinet maker for assistance. Providing the cabinet maker with the actual sink to be installed will ensure a custom fit.
- Please use assistance when lifting the sink in order to avoid personal injury.
- We recommend consulting a professional if you are unfamiliar with installing kitchen fixtures and plumbing. BID accepts no liability for any damages to the floor, walls, plumbing or personal injury during installation.

Care & Maintenance

Our search for excellence gave us the opportunity to create a product that would sustain many years of use in your kitchen. We know that from time to time accidents may occur. Our sink's unique properties give our glaze a great resistance to impact and scratches, while still allowing for easy removal of most hard stains, such as tea, coffee, or red wine.

We strongly recommend NOT TO USE harsh abrasives, such as scouring liquids or powder, highly- concentrated drain cleaners, caustic cleaners containing alkalis, cleaners for tap fittings and steel, scouring pads, steel wool, paint removers, oven cleaners, or aggressive chemical solutions to clean sink surfaces.

To avoid scratching, do not use highly aggressive cleaners such as scouring liquids and powders or drain cleaners. To avoid potential stains or damages to the finish avoid soaking dishes for long periods of time and do not leave coffee grounds or teabags sitting in the sink.

Use a soft, non-scratching sponge or cloth with mild soap and warm water or a gentle all-purpose cleaner for everyday cleaning. Wipe the surface dry with a clean, soft cloth after each use. Use a non-abrasive liquid or cream bathroom cleaner for tough stains.

For more information

- visit betterbathrooms.com
- email customerservices@buyitdirect.co.uk
- call 0330 390 3062
- write to Trident Business Park, Neptune Way, Huddersfield, HD2 1UA

**better
bathrooms**

Part of the BuyItDirect Group