

DEOS

DEHUMIDIFIERS

HOT WATER | HEATING | RENEWABLES ariston.com/uk

DEOS FEATURES AND BENEFITS





DEOS 11

- / 11 litres/day
- / Electronic control
- / Continuous operation
- / Silent running









DEOS 16s

- / 16 litres/day
- / Electronic control
- / Continuous operation
- / Silent running
- / Anti-odour filter
- / Timer
- / Laundry function















DEOS 21s

- / 21 litres/day
- / Electronic control
- / Continuous operation
- / Silent running
- / Anti-odour filter
- / Timer
- / Super Laundry function
- / Air purifier function
- / Anti-mildew function











in a room





KEY FEATURES ACROSS THE RANGE:



ELECTRONIC CONTROL

For accurate and intuitive operation of the unit



ELECTRONIC HUMIDISTAT To precisely measure the level of humidity

SAFETY INDICATOR LIGHT



BUILT-IN WHEELS



Enables the unit to continuously operate despite the room's humidity level



& TANK-FULL BLOCK / The unit will give a warning when the

maximum water level is reached so the unit can be emptied safely when the tank is full

DEOS 21s DEHUMIDIFIER



MAIN BENEFITS:

SUPER LAUNDRY MODE

/ This function is specifically designed for drying clothes, automatically setting the fan speed depending on the humidity and temperature in the room.



ANTI-MILDEW

/ By automatically setting the Relative Humidity, this function maintains maximum comfort and a healthy environment by reducing the growth of mildew and bacteria.



AIR PURIFIER

/ This dedicated function utilises the built-in HEPA (High Efficiency Particulate Air) filter to eliminate dust, bacteria and allergens.



MAIN FEATURES COMPARISON TABLE







	DEOS 11	DEOS 16s	DEOS 21s
Anti-freeze Function	•	•	•
Electronic Control	•	•	•
Built-in Wheels	•	•	•
Electronic Humidistat	•	•	•
Tank-full Block	•	•	•
Continuous Drainage	•	•	•
Timer		•	•
Touch Control			•
Laundry Function		•	
Super Laundry Function			•
Air Purifier			•
Anti-mildew			•

Description		DEOS RANGE		
	DEOS 11	DEOS 16s	DEOS 21s	
ERFORMANCE ⁽¹⁾				
apacity (litres)			21	
ower Input (W)	289	312		
ound Pressure dB(A)		42		
efrigerant Type	R134A	R134A	R134A	
WP (kgCO₂ eq.)	1430	1430	1430	
HARACTERISTICS				
ange Temperature (°C)	5/35	5/35	5/35	
ater Tank Volume (litres)	1.5		3.3	
ower (Hz-V-Ph)	50-230-1	50-230-1	50-230-1	
ompressor Type	Rotary	Rotary	Rotary	
rflow (MAX value) (m³/h)	105	150	225	
andard Charge (kg)	0.09	0.12	0.14	
	IPX0	IPX0	IPX0	
EIGHTS & DIMENSIONS				
et Dimension (mm)	325 x 170 x 478	350 x 510 x 245	350 x 510 x 245	
ross Dimensions (mm)	385 x 200 x 515	405 x 530 x 290	380 x 535 x 298	
eight (net/gross) (kg)	9.5 / 10.5	12.1 / 13.6	12.2 / 14.7	
RODUCT CODES	3381235	3381236	3381237	

HOT WATER | HEATING | RENEWABLES

Customer Service: customer.service.uk@aristonthermo.com | 0333 240 8777 Sales: salesoffice@aristonthermo.com | 0333 240 6666

ariston.com/uk











